

2018

ADDED VALUE OF IMPROVEMENTS TABLE CENTRAL COAST CONTRACT

Incorporating Local Government Areas: Central Coast

Liability limited by a scheme approved under Professional Standards Legislation

Robertson & Robertson (Central Coast) Pty Ltd ACN 088 103 137 ABN 23 088 103 137

Robertson & Robertson Improvement schedule						
Brick Veneer						
Age	Size	Condition	Applicable	Value Range		
2000 to Current	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1850 900 - 1650 700 - 1350 600 - 950		
	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1900 900 - 1700 700 - 1350 600 - 1000		
	120m² - 200m²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1950 1000 - 1750 800 - 1350 700 - 1100		
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1400 - 2000 1100 - 1850 900 - 1400 700 - 1200		
1960 - 1999	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1850 1000 - 1650 800 - 1350 600 - 1000		
	200m² - 300m²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1900 1000 - 1700 800 - 1200 600 - 850		
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1950 1000 - 1700 800 - 1200 600 - 850		
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1300 - 2000 1100 - 1850 1000 - 1400 800 - 1200		

	Robertson & Robertson Improvement schedule						
Brick Veneer co	Brick Veneer continued						
Age	Size	Condition	Applicable	Value Range			
1945 - 1960	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	900 - 1400 700 - 1200 500 - 800 400 - 600			
	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	900 - 1450 700 - 1250 600 - 850 500 - 700			
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1000 - 1400 800 - 1100 600 - 850 500 - 700			
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1500 900 - 1250 600 - 900 600 - 850			

Robertson & Robertson Improvement schedule

Concrete Block, Concrete, Concrete panel, Double brick, Rammed earth, Mud brick, Rendered brick, Sandstone

Age	Size	Condition	Applicable	Value Range
2000 - Current	> 300m ²	As new	Yes	1600 - 2250
		Good	Yes	1200 - 1750
		Fair	Yes	1100 - 1500
		Poor	Yes	600 - 900
	200m ² - 300m ²	As new	Yes	1600 - 2350
		Good	Yes	1300 - 1850
		Fair	Yes	1200 - 1650
		Poor	Yes	600 - 900
	120m ² - 200m ²	As new	Yes	1800 - 2500
		Good	Yes	1400 - 1950
		Fair	Yes	1200 - 1750
		Poor	Yes	600 - 900
	<120m ²	As new	Yes	1900 - 2650
		Good	Yes	1400 - 2000
		Fair	Yes	1300 - 1850
		Poor	Yes	800 - 1200
1960 - 1999	> 300m ²	As new	Yes	1300 - 1800
		Good	Yes	900 - 1350
		Fair	Yes	800 - 1150
		Poor	Yes	600 - 900
	200m ² - 300m ²	As new	Yes	1300 - 1850
		Good	Yes	1000 - 1400
		Fair	Yes	800 - 1200
		Poor	Yes	500 - 700
	120m ² - 200m ²	As new	Yes	1400 - 2000
		Good	Yes	1100 - 1500
		Fair	Yes	900 - 1350
		Poor	Yes	600 - 900
	<120m ²	As new	Yes	1600 - 2250
		Good	Yes	1100 - 1550
		Fair	Yes	1000 - 1450
		Poor	Yes	700 - 1000
1945 - 1960	200m ² - 300m ²	As new	Yes	1300 - 1850
		Good	Yes	900 - 1250
		Fair	Yes	700 - 1000
		Poor	Yes	400 - 600
	120m ² - 200m ²	As new	Yes	1300 - 1850
		Good	Yes	900 - 1250
		Fair	Yes	700 - 1000
		Poor	Yes	500 - 700
	<120m ²	As new	Yes	1400 - 2000
		Good	Yes	1000 - 1400
		Fair	Yes	800 - 1200
		Poor	Yes	500 - 750

Robertson & Robertson Improvement schedule

Concrete Block, Concrete, Concrete panel, Double brick, Rammed earth, Mud brick, Rendered brick, Sandstone continued...

brick, Saliustone Continueu					
Age	Size	Condition	Applicable	Value Range	
1930 - 1945	200m ² - 300m ²	As new	Yes	1300 - 2250	
		Good	Yes	900 - 1850	
		Fair	Yes	700 - 1650	
		Poor	Yes	400 - 1000	
	120m ² - 200m ²	As new	Yes	1300 - 2250	
		Good	Yes	900 - 1850	
		Fair	Yes	700 - 1650	
		Poor	Yes	500 - 1000	
	<120m ²	As new	Yes	1400 - 2500	
		Good	Yes	1000 - 2000	
		Fair	Yes	800 - 1650	
		Poor	Yes	500 - 1000	
Up to 1930	200m ² - 300m ²	As new	Yes	1300 - 2250	
		Good	Yes	900 - 1850	
		Fair	Yes	700 - 1650	
		Poor	Yes	400 - 1000	
	120m ² - 200m ²	As new	Yes	1300 - 2250	
		Good	Yes	900 - 1850	
		Fair	Yes	700 - 1650	
		Poor	Yes	500 - 1000	
	<120m ²	As new	Yes	1400 - 2500	
		Good	Yes	1000 - 2000	
		Fair	Yes	800 - 1650	
		Poor	Yes	500 - 1000	

Robertson & Robertson Improvement schedule						
Fibrous cement,	Fibrous cement, composite board, vinyl board, Weatherboard					
Age	Size	Condition	Applicable	Value Range		
2000 - Current	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1300 - 1800 1000 - 1450 800 - 1200 600 - 850		
	200m² - 300m²	As new Good Fair Poor	Yes Yes Yes Yes	1300 - 1850 1100 - 1500 900 - 1250 600 - 900		
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1400 - 2000 1200 - 1650 900 - 1300 600 - 900		
	<120m²	As new Good Fair Poor	Yes Yes Yes Yes	1600 - 2250 1400 - 2000 1000 - 1450 700 - 950		
1960 - 1999	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1600 900 - 1250 700 - 1000 600 - 850		
	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1600 900 - 1250 700 - 1000 600 - 850		
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1200 - 1650 900 - 1300 700 - 1000 600 - 850		
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1300 - 1850 1000 - 1450 800 - 1200 600 - 850		
1945 - 1960	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1000 - 1400 800 - 1100 600 - 900 400 - 600		
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1500 800 - 1150 700 - 1000 400 - 600		
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1100 - 1500 800 - 1150 700 - 1000 400 - 600		

	Robertson & Robertson Improvement schedule					
Fibrous cemen	t, composite board,	vinyl board, Wea	therboard cont			
1930 - 1945	200m ² - 300m ²	As new Good	Yes Yes	1000 - 2250 800 - 1850		
		Fair	Yes	600 - 1650		
		Poor	Yes	400 - 1000		
	120m ² - 200m ²	As new	Yes	1100 - 2250		
		Good	Yes	800 - 1850		
		Fair	Yes	700 - 1650		
		Poor	Yes	400 - 1000		
	<120m ²	As new	Yes	1100 - 2500		
		Good	Yes	800 - 2000		
		Fair	Yes	700 - 1650		
		Poor	Yes	400 - 1000		
Up to 1930	200m ² - 300m ²	As new	Yes	1000 - 2500		
		Good	Yes	800 - 1850		
		Fair	Yes	600 - 1650		
		Poor	Yes	400 - 1000		
	120m ² - 200m ²	As new	Yes	1100 - 2250		
		Good	Yes	800 - 1850		
		Fair	Yes	700 - 1650		
		Poor	Yes	400 - 1000		
	<120m ²	As new	Yes	1100 - 2500		
		Good	Yes	800 - 2000		
		Fair	Yes	700 - 1650		
		Poor	Yes	400 - 1000		

Robertson & Robertson Improvement schedule				
Prestige, Archite	ct designed			
Age	Size	Condition	Applicable	Value Range
2000 to Current	> 300m ²	As new	Yes	2100 - 5000
		Good	Yes	1800 - 4000
		Fair	Yes	1500 - 3500
		Poor	Yes	700 - 2500
	200m ² - 300m ²	As new	Yes	2300 - 5500
		Good	Yes	1900 - 4250
		Fair	Yes	1700 - 3750
		Poor	Yes	800 - 2750
	120m ² - 200m ²	As new	Yes	2700 - 5750
		Good	Yes	2300 - 4500
		Fair	Yes	1800 - 4000
		Poor	Yes	1100 - 3000
	<120m ²	As new	Yes	3500 - 6000
		Good	Yes	2700 - 4000
		Fair	Yes	1800 - 3200
		Poor	Yes	1100 - 3250
1960 - 1999	> 300m ²	As new	Yes	1900 - 3250
		Good	Yes	1500 - 2500
		Fair	Yes	1300 - 1900
		Poor	Yes	700 - 1000
	200m ² - 300m ²	As new	Yes	2000 - 3500
		Good	Yes	1600 - 2750
		Fair	Yes	1400 - 1950
		Poor	Yes	800 - 1100
	120m ² - 200m ²	As new	Yes	2100 - 3750
		Good	Yes	1800 - 2850
		Fair	Yes	1400 - 2000
		Poor	Yes	1100 - 1500
	<120m ²	As new	Yes	2500 - 3800
		Good	Yes	1900 - 3000
		Fair	Yes	1500 - 2100
		Poor	Yes	1100 - 1500
1945 - 1960	> 300m ²	As new	Yes	1700 - 2400
		Good	Yes	1200 - 1700
		Fair	Yes	1100 - 1500
		Poor	Yes	900 - 1300
	200m ² - 300m ²	As new	Yes	1800 - 2500
		Good	Yes	1200 - 1700
		Fair	Yes	1100 - 1500
		Poor	Yes	900 - 1300
	120m ² - 200m ²	As new	Yes	1800 - 2600
		Good	Yes	1200 - 1700
		Fair	Yes	1100 - 1500
		Poor	Yes	900 - 1300
	<120m ²	As new	Yes	1900 - 2700
		Good	Yes	1300 - 1800
		Fair	Yes	1100 - 1550
		Poor	Yes	900 - 1300

Robertson & Robertson Improvement schedule Prestige, Architect designed continued					
1930 - 1945	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1700 - 2400 1200 - 1700 1100 -1500 900 - 1300	
	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1800 - 2500 1200 - 1700 1100 - 1500 900 - 1300	
	120m² - 200m²	As new Good Fair Poor	Yes Yes Yes Yes	1800 - 2600 1200 - 1700 1100 - 1500 900 - 1300	
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1900 - 2700 1300 - 1800 1100 - 1550 900 - 1300	
Up to 1930	> 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1700 - 2400 1200 - 1700 1100 - 1500 900 - 1300	
	200m ² - 300m ²	As new Good Fair Poor	Yes Yes Yes Yes	1800 - 2500 1200 - 1700 1100 - 1500 900 - 1300	
	120m ² - 200m ²	As new Good Fair Poor	Yes Yes Yes Yes	1800 - 2600 1200 - 1700 1100 - 1500 900 - 1300	
	<120m ²	As new Good Fair Poor	Yes Yes Yes Yes	1900 - 2700 1300 - 1800 1100 - 1550 900 - 1300	



DISCLAIMER

This information is prepared on behalf of the Valuer General by the rules set out in the Rating and Taxing Valuation Procedures Manual v7.2.1 at section 4.2.4 Added value of improvements.

The raw data upon which this analysis is based is not included in the report. This report deals with the results of analysis in accordance with the above section of the procedure manual.

The tables refer to added value and not replacement cost, so should not be referenced for insurance purpose.

This report has been prepared on behalf of the Valuer General. The purpose of this report is to provide an overview of the added value of improvements table for the valuation program for the 1 July 2018 valuation in the Local Government Area of Central Coast.

This report is for the use only of the party to whom it is addressed and for no other purpose. No responsibility is accepted to any third party who may use or rely on the whole or any part of the content of this report.

Neither the whole nor any part of this report, or any reference thereto, may be relied upon or included in any document, circular or statement without our written approval of the form and context in which it will appear.

Robertson & Robertson hereby declares that it makes no guarantee, promise, warranty, representation or undertaking that the lodgement of this report will result in any predetermined requirements of the instructing party or client being satisfied.